



Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1675 **Bushings, self-lubricating (5x11x4mm) (14)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearing)

Body & Accessories

- 1926 **Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3934 Body clips, heavy duty (12)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 6811 **Body, Slash 4X4 (clear, requires painting)/ window masks sheet**
- 6817 **Body, Slash 4X4, Amsoil (painted, decals applied)**
- 6831 **Body, Slash 4X4, Chad Hord (painted, decals applied)**
- 6818 **Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals applied)**
- 6820 **Body, Slash 4X4, Jeff Kincaid (painted, decals applied)**
- 6825X **Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)**
- 6826R **Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals applied)**
- 6811X Body, Slash 4X4, ProGraphix (Graphics are printed, requires final color application)/ decal sheet
- 6889 **Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)**
- 6849 **Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)**
- 2514 **Decal sheet, racing sponsors**
- 5813 **Decal Sheet, Slash**
- 9950 **Official Team Traxxas racing decal set (flag logo/ 6-color)**

Chassis & Attachments

- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut to
- 5526R **Antenna crimp nut, aluminum (red-anodized)/ antenna nut**
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BC 2.5x8mm CS (2)/ 3x6mm BCS (2)
- 5835 Bumper, front/ bumper mount, front (black)
- 5835P **Bumper, front/ bumper mount, front (pink)**
- 5836 Bumper, rear/ bumper mount, rear (black)
- 5836P **Bumper, rear/ bumper mount, rear (pink)**
- 5830 **Chassis conversion kit, low CG (Slash)**
- 5832 **Chassis, low CG (black)**
- 5832A **Chassis, low CG (blue)**
- 5832G **Chassis, low CG (grey)**
- 5822 Chassis, Slash
- 5822A **Chassis, Slash (black)**
- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X **Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, 1 cell batteries)**
- 5831 **Lower chassis, low CG (black)**
- 5831A **Lower chassis, low CG (blue)**
- 5831G **Lower chassis, low CG (grey)**
- 5823 Nerf bars, chassis (black)
- 5833 **Nerf bars, low CG (black)**
- 5833A **Nerf bars, low CG (blue)**
- 5833G **Nerf bars, low CG (grey)**
- 5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5837 Skidplates, front & rear (black)
- 5185 **Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 **Wheelie bar, assembled (black) (fits Slash, Stampede, Rust Bandit series)**

- 3678X **Wheelie bar, assembled (blue) (fits Slash, Stampede, Rust Bandit series)**
- 3678A **Wheelie bar, assembled (green) (fits Stampede, Rustler, B series)**
- 3678P **Wheelie bar, assembled (pink) (fits Stampede, Rustler, B series)**
- 4976 **Wheels (4)/ Axles (2), for Maxx wheelie bar**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearing axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearing axles (2)/ rubber tires (2)**

Differential Components

- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear align shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Stampede, Rustler)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screw screw pin (2)
- 4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X **Differential output yokes, heavy duty (2)/ screw pin (2)**
- 6852X **Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 1953 **Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6850X **Half shafts, heavy duty (external splined (2)/ internal spline metal u-joints (4)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (metal U-joints (4)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 2753X Stub axles, rear (2)
- 6853X **Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530 **Bulkhead (front) (black)**
- 2530A Bulkhead (front) (grey)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A **Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum & right)/ suspension screw pin (2)**
- 3632G **Caster blocks, 30-degree, green-anodized 6061-T6 aluminum & right)/ suspension screw pin (2)**
- 3632P **Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum & right)/ suspension screw pin (2)**
- 3632X **Caster blocks, 30-degree, red-anodized 6061-T6 aluminum & right)/ suspension screw pin (2)**
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 3744 Servo saver w/adapters
- 3639 Shock tower (front)
- 3743 Steering bellcranks (l&r)/ draglink
- 3743A **Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum 5x8mm ball bearings (4)/ hardware (assembled)**

3743X	Steering bellcranks, drag link (red-anodized 6061-T6 alun 5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ ser spring retainer/servo horn, steering
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 al (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 al (green-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 al (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 al (red-anodized)/ 5x11mm ball bearings (4)
3631	Suspension arms (front) (2)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #26 complete suspension pin set) (Rustler, Stampede, Bandit)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (assembled w/ rod ends & hollow balls) (requires 5mm al wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (as with rod ends and hollow balls) (1 left, 1 right) (fits front & rear Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (ass with rod ends and hollow balls)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
1633	E-clips/ C-rings
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearing)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine (2)/ draglink shoulder screws (chrome) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3790	Gear adapter, fixed
2072	Gear set (for 2070, 2075 servos)

3785	Motor, Titan 12T (12-Turn, 550 size)
3351R	Motor, Velineon 3500, brushless (assembled with 12-gaug and gold-plated bullet connectors)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
3350R	Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072	Gear set (for 2070, 2075 servos)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermostat
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6518	Receiver, micro, TQi 2.4GHz with telemetry (5-channel)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
6550	Telemetry expander, TQi radio system
6551	Telemetry GPS module, TQi radio system
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output channel (transmitter only)
6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output channel (transmitter only)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output channel (transmitter only)
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

58024	Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ 2.4GHz radio system
-------	---

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2) metal U-joints (4)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)

3652X	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
2555	Suspension arms, (rear) (2)
3640	Suspension screw pin set, steel (hex drive) (requires part #26-complete suspension pin set) (Rustler, Stampede, Bandit)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (ass with rod ends and hollow balls) (1 left, 1 right) (fits front & rear Slash)

Shocks (Aluminum)

1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spri retainers (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2760	Shock caps, aluminum (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (lon-
2765T	Shock shafts, hardened steel, titanium nitride coated (X-lc
1664	Shock shafts, steel, chrome finish (long) (2)
2765	Shock shafts, steel, chrome finish (X-long) (2)
4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum springs (front) (2)
4761	Shocks, X-long (hard-anodized & PTFE-coated T6 alumini springs (rear) (2)
1666	Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
2666	Big Bore shock cylinder (XX-long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 alumini (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated aluminum) (assembled with TiN shafts) w/o springs (rear)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bu & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (lon-
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-l (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	Spring retainers, upper & lower (2)/ spring pre-load space 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (fits #5862 alu Big Bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (fits #5862 alu Big Bore shocks)

Shocks (Ultra Shocks)

3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra S
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra S
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra S
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra S
1664T	Shock shafts, hardened steel, titanium nitride coated (lon-
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-l (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2), (2))

2458	Springs, front (black) (2)
2458P	Springs, front (pink) (2)
5857P	Springs, front (pink) (progressive rate) (2)
2458A	Springs, front (white) (2)
5857	Springs, front (white) (progressive rate) (2)
3757	Springs, rear (black) (2)
3757T	Springs, rear (blue) (2)
3757A	Springs, rear (green) (2)
3757P	Springs, rear (pink) (2)
5858P	Springs, rear (pink) (progressive rate) (2)
3757X	Springs, rear (white) (2)
5858	Springs, rear (white) (progressive rate) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load s & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-loa spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load space springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spa springs) (rear) (2)

Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2) 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch)/set screw
2431	Gear, 31-T pinion (48-pitch) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch) / set screw
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Co slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Co slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control clutch)

Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearing)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo (large) with hollow balls (12)
3744	Servo saver w/adapters
3742	Shoulder screws, steering bellcranks (3x30mm cap-head mac (2)/ draglink shoulder screws (chrome) (2)
3743	Steering bellcranks (l&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 alu 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 alu 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 alu 5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ serv spring retainer/servo horn, steering
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm ((assembled w/ rod ends & hollow balls) (requires 5mm alu wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm ((assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (ass with rod ends and hollow balls)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo (large) with hollow balls (12)
3739	Screw pin set (Rustler/ Bandit/ Stampede)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow captured (4)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #26-complete suspension pin set) (Rustler, Stampede, Bandit)

3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assemb w/rod ends)/hollow balls (2) (fits front & rear on Slash)	5878	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assemb w/rod ends)/hollow balls (2) (fits front & rear on Slash)	5881	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow wrench)	5875X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (1) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	5873A	Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2 front/rear, 2WD rear only)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (1) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6873A	Tires & wheels, assembled, glued (SCT Split-Spoke chrome beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® tires, foam inserts) (2) (4WD f/r, 2WD rear)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear Slash)	5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (4WD front/rear, 2WD rear only) (TSM rated)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (assembled with rod ends and hollow balls)	6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD (TSM rated))
Team Traxxas Items			
2514	Decal sheet, racing sponsors	6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6160X	DVD, Maxx Power! Full Throttle Action (sleeve)	5885	Tires & wheels, assembled, glued (SCT Split-Spoke, black chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD Front)
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)	5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
9909	Traxxas racing banner, red & black (3x7 feet)	5877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® tires, foam inserts) (2) (2WD front)
Tires & Wheels			
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6469)	5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	6876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized)	6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.2/3.0") (2)/ foam inserts (2)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized)	6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2, ultra-soft (S1 road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized)	6870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized)	6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearing)	5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2), foam inserts (2)
1647	Silicone grease	5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
2754	Stub axle pins (4)	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
5880X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	3654	Wheel hubs, hex (tall offset, Rustler/Stampede front) (2)/ axle pins (2.5x10mm) (2)
5880	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4) pin (4)/wrench, 5mm
5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5480X	Wheel wrench, splined, 17mm
5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock wheels, Kumho tires, foam inserts) (2) (2WD front)	5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5877R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)	5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)
6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (4WD f/r, 2WD rear)	5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)	5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5873R	Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing inserts) (2) (2WD rear, 4WD f/r)	5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5881X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock wheels, Kumho tires, foam inserts) (2) (2WD front)	5872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5875	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5873	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)		

5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock s dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) i
5876A	Wheels, SCT Split-Spoke, chrome, red beadlock style, du profile (2.2" outer, 3.0" inner) (2WD front) (2)
6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, du profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) i
5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock s dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock s dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD r only) (2)
5866	Wheels, SCT, chrome, green beadlock style, dual profile i outer, 3.0" inner) (2) (2WD front only)
6875	Wheels, SCT, chrome, green beadlock style, dual profile i outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)

Transmission Components

1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
4607	Ball bearings (5x11x4mm) (8)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Dust cover/rubber plug (w/ screws) (telemetry ready)
3790	Gear adapter, fixed
3691	Gearbox halves (l&r) (black) w/ idler gear shaft
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft
5148	Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear aliç shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Stampede, Rustler)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring i 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)

Turnbuckles & Threaded Rods

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo (large) with hollow balls (12)
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assemb w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assemb w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, fro 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (assembled w/ rod ends & hollow balls) (requires 5mm al wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, fro 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (as with rod ends and hollow balls) (1 left, 1 right) (fits front & rea Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (ass with rod ends and hollow balls)